

# **Stargate Pyramids - Installation Instructions**

**Thank you for your purchase of a Stargate Pyramid.**

**PLEASE READ ALL OF THESE INSTRUCTIONS BEFORE PROCEEDING TO  
ASSEMBLE YOUR PYRAMID.**

## **Contents**

**Your pyramid will contain the following components:**

- 4 short pieces of pipe used for the base of the pyramid (shown on the right side of the photograph). If you purchased your pyramid with the quartz sand enhancement, these pieces will be heavier and also contain corks in each end.**
- 4 long pieces of pipe with external couplings attached on one end (the middle set of pipes in the photograph). These pipes will form the bottom piece of each vertical side of the pyramid. Note that 3' pyramids do not contain this piece.**
- 4 pieces of pipe, each with a dome cap, connected together at the top with a zip tie (the "Top Assembly" - shown on the left of the photograph). The Top Assembly will form the top piece of each vertical side of the pyramid (or the entirety of the vertical side for a 3' pyramid).**
- 4 Corner Assemblies consisting of two 45° connectors with a slip T in the middle (shown on top of the pipe in the photograph)**



# Installation


## Step 1: Position the Corner Assemblies

**Place the four Corner Assemblies at their approximate location on the floor as shown:**



## Step 2: Insert the Base Pipes


**Connect the four pieces of base pipe into the appropriate 45's in each Corner Assembly. When finished the base of your pyramid should look like this:**



### **Step 3: Install Bottom Vertical Pieces**

**If you purchased a 3' pyramid, skip to Step 4. For all other pyramids, connect the opposite end of each of the 4 pieces of pipe with external couplings into the slip tee in the middle of each Corner Assembly and lie down flat on the ground. It is easier if you insert pipes into two opposing corners first.**

**Your pyramid should now look like the photo below.**



### **Step 4: Install Two Opposing Corners of the Top Assembly**

NOTE: WHILE PERFORMING STEPS 4 AND 5, DO NOT PUSH THE PIECES OF THE TOP ASSEMBLY TIGHTLY INTO THE EXTERNAL COUPLING AT THIS TIME. ONLY APPLY ENOUGH PRESSURE TO KEEP THEM FROM FALLING APART. WE WILL TIGHTEN THESE CONNECTIONS LATER AFTER POSITIONING THE TOP ASSEMBLY AND TIGHTENING THE ZIP TIE.

**If you purchased a 3' pyramid, connect each piece of the Top Assembly directly into the slip tee in the middle of each Corner Assembly. For all other pyramids, insert the bottom of two opposing pieces of the Top Assembly into the External Coupling**

**on two opposing bottom vertical pieces. Assembling two opposing sides first will allow the partially completed assembly to stand up on its own while you reach to pick up and insert the two remaining vertical pipes into the Top Assembly. Your partially completed installation will look as follows:**



## **Step 5: Install Remaining Two Sides of the Top Assembly**

**Pick up the two remaining bottom vertical pieces and attach them via the External Coupling to the two remaining pieces of the Top Assembly. Your pyramid should now look like this:**



## **Step 6: Adjust and Tighten the Top Assembly Zip Tie**



**Before tightening up the zip tie, line up the drilled zip tie holes on each pipe so as to be as close as possible to the corresponding hole in the adjacent pipe (see diagram below).**

**USE GENTLE MOTIONS TO BRING EACH PIPE INTO ITS PROPER POSITION.**

**Once the pipes are in their proper position, slowly pull on the zip tie to tighten it until the four vertical pieces are touching each other at the top. Cut off the remaining piece of the zip tie with scissors. Your completed top assembly should look like this:**

**You may now firmly secure the bottom end of each piece of the top assembly into its external coupling.**

**Top View**



## **Custom Capstone:**

**If you purchased a custom capstone, you may attach it to your pyramid by simply cutting the zip tie with scissors and removing it prior to inserting the vertical pieces into the holes in the custom capstone. It is also recommended that you remove the dome caps from the top of the vertical pieces to achieve the best fit. If you later decide not to use your custom capstone, or if your original zip tie breaks, simply reattach the four vertical pieces with the additional zip tie provided. For safety it is best to remove the custom capstone prior to moving the pyramid.**

## **Orienting Your Pyramid to Magnetic North:**

**Orienting your pyramid to magnetic north greatly enhances its effectiveness. For assistance, go to our YouTube page “Pyramid Science Foundation”. Under the section “How To Videos” on the Home Page is a video entitled “How to Orient Your Stargate Pyramid to Magnetic North”.**

## **Maintenance:**

**A periodic cleaning with mild soap and warm water should keep your pyramid looking great for years to come. You can also use isopropyl (rubbing) alcohol for tougher marks or lines on the surface of the pyramid.**

## **Questions?**

**Please contact me with any questions:**

**Charlie Ziese**

**Stargate Pyramids**

**stargatepyramids.com**

**412.474.3481**

**charlie@stargatepyramids.com**

**YouTube: Pyramid Science Foundation**